SPNA Agroresearch

Stichting Proefboerderijen Noordelijke Akkerbouw

Update: 6 maart-2023




Last week....

- An overview from SPNA and the location
- Spreading straw for reducing aphids
- Spreading pellets as fertilizer



Cover crops in a potato based crop rotation

In what amount can covercrops provide the nitrogen the main crop needs





Farmers goal

- Preventing scab through complete decompose of the cover crop? Which cover crop?
- Early seeding to catch all nutriënts from previous crop
- Late destroying to keep the field green and maintain as many of the nutriënts possible

► Timing is everything!




Farmers questions

- How through the winter?
 - ► Handle frost?
- ► How to manage?
 - Busy time of the year (spring and autumn)
 - Mechanisation
- How to destroy it/ keep the minerals available for the next crops
 - Which machinery?
 - Chemical/ biostimulants/ additives?
- Which cover crop before and after each crop?
 - Which type/mixture?
 - When to seed
 - When to destroy



Measurements

- Nutrients availability in soil after harvest main crop, by destroing cover crop
- Leaf samples when growth of the following crop is started
- Covercrop before seed potato
- Sowing as soon as possible direct after harvest of the main crop
- ▶ 1 mixture
- Multiple times for destroying in spring





Grassclover Compared to organic manure in organic winter wheat

Using grassclover as organic manure

LOCATION





Fertilizer

- Grassclover
- Calculate amount of nutrients out of analysis of the product
- Calculate dose for fertilisation



Why?

- Natural materials to use
- Non productive field edges CAP (Common Agricultural Policy)
- Optimal use of nutrients
- Less market for grass clover as feeding in the area




Measurements

- Analyses off applied grassclover
- Soil samples
- Yield per applied object
- General crop overview
- General quality analyses of the harvested product: protein, starch, zeleny-number and hecto-litre weight.
- Availability of nitrogen in following crop

Planty organic/ Zero polution long term plant based crop rotation

- Grass clover
- Compost
- Growing nitrogen
- ▶ 12 year allready
- 2 years with compost



Crops

- Clover
- Pumpkins
- Oats
- Carrots
- String beans
- Seed potatoes

1.2 Crop sequence and fertilization

The crop sequence has been in general the same during these nine years. Since 2015 no changes have occurred and the fertilizer strategy is stabilized. This is shown in Figure 1.





Figure 1. Crop sequence and fertilization

- 1,2,13: Leguminous crop mixture; 3: Pumpkin; 5/6: Wheat/Field bean; 8: Winter carrot; 10: Oats; 12: Seed potato.
- 4,9: Green manure without leguminous plants ; 7,11: Green manure mixture with leguminous plants.
- A: Cut&Carry fertilizer, about 20% of last years' stock . B:the same, about 30%; C: the same, about 50%.

Planty organic in Trans4Num

- In coöperation with Wur extra measurements
- Different layers of the soil
- Several years
- Comparison with conventional and conventional organic



		Treatment	Depth (0-10, 10-20, 20-40, 40-80 cm)	Replicates	Total amount
	Planty organic field	T1: cut/carry fertilizer	4	5	20
		T2: Cut/carry fertilizer with compost	4	5	20
	Converntional organic field	T3: Animal manure (Goat manure and cattle slurry)	4	5	20
	Converntional field	T4: Chemical fertilizer	4	5	20
					80
+					

Potatoes

Questions